

RF COAXIAL ADAPTOR



BNC Female to Female to Female T Adaptor



BNC Female to BNC Female Adaptor



BNC FEMALE TO FEMALE BULKHEAD ADAPTOR



N Male to N Male Adaptor



N Female to N Female Connector Adaptor



N Male to N Female Connector Adaptor



N FFM T type Adaptor



SMA MALE TO SMA MALE ADAPTOR



SMA FEMALE TO SMA FEMALE ADAPTOR



SMA MALE TO SMA FEMALE ADAPTOR



SMA FEMALE TO SMA FEMALE 4 HOLE ADAPTOR



SMA FEMALE TO MALE TO FEMALE ADAPTOR



SMA FEMALE TO FEMALE TO FEMALE ADAPTOR



SMA MALE TO SMA MALE RA ADAPTOR

COMBO & WIFI ANTENNA



GPS/GSM COMBO ANTENNA



GPS/GSM COMBO ANTENNA



2.4 GHz 2 dBi Rubber Duck Antenna



2.4 GHz 3 dBi Rubber Duck Antenna



2.4 GHz 5 dBi Rubber Duck Antenna RP-SMA Male Connector



2.4 GHz 9 dBi SMA-Male High Performance "Rubber Duck" Wireless LAN Antenna



2.4 GHz Wi-Fi 5dBi Rubber Duck SMA (M) movable body



9 dBi RFID Rubber-Duck Antenna with SMA Male Movable



800-2700MHz 6 dBi Magnetic Mount Antenna with SMA RG 174 Cable

2G, 3G, 4G ALL BANDS ANTENNA




6 dBi Magnetic Base
Rubber Duck Antenna



2.4 GHz 5 dBi Rubber Duck
Antenna RP-SMA
Male Connector



698-960/1710-2700MHz
3dBi Omni Ceiling
Antenna



DIRECTIONAL YAGI
ANTENNA - 18 dBi




SOLID ELEMENT DIRECTIONAL
YAGI ANTENNA - 21 dBi



2.4 GHz Wi-Fi 5dBi Rubber
Duck SMA (M) movable
body



DIRECTIONAL YAGI
ANTENNA - 12dBi



DIRECTIONAL YAGI
ANTENNA - 18 dBi Long
Boom



698-2700MHz 12 dBi Patch Panel
Antenna with SMA (M) Outdoor



2G, 3G, 4G ALL BANDS ANTENNA




6 dBi Magnetic Base
Rubber Duck Antenna



2.4 GHz 5 dBi Rubber Duck
Antenna RP-SMA
Male Connector



698-960/1710-2700MHz
3dBi Omni Ceiling
Antenna



DIRECTIONAL YAGI
ANTENNA - 18 dBi




SOLID ELEMENT DIRECTIONAL
YAGI ANTENNA - 21 dBi



2.4 GHz Wi-Fi 5dBi Rubber
Duck SMA (M) movable
body



DIRECTIONAL YAGI
ANTENNA - 12dBi



DIRECTIONAL YAGI
ANTENNA - 18 dBi Long
Boom



698-2700MHz 12 dBi Patch Panel
Antenna with SMA (M) Outdoor



BMA / SMZ CONNECTOR



**BMA FEMALE EDGE
LAUNCH CONNECTOR**



**BMA MALE FLANGE MOUNT 4
HOLE CONNECTOR**



**BMA MALE BULKHEAD
CONNECTOR FOR .085
CABLE**



**BMA MALE PCB THRU-
HOLE CONNECTOR R/A**



**BMA MALE PCB THRU-
HOLE CONNECTOR**



**BMA MALE FLANGE MOUNT
2 HOLE FOR .085 CABLE**



**SMZ FEMALE SOLDER CRIMP
CONNECTOR FOR BT-3002 CABLE**



SMZ FEMALE R/A PCB



**SMZ FEMALE R/A CRIMP
CONNECTOR FOR BT-3002
CABLE**



**SMZ FEMALE CRIMP FOR
RG174, RG316, LMR100**



**SMZ FEMALE CRIMP
CONNECTOR FOR RG59**



**SMZ FEMALE CRIMP CONNECTOR
FOR BT-3002 CABLE**

BNC Connectors



**BNC FEMALE
BULKHEAD FOR RG 58**



**BNC MALE
STRAIGHT FOR RG
58**



**BNC(F) Bulkhead
Crimp RG316**



**BNC(F) Bulkhead
RG58, RG223,
LMR200**



**BNC(F) Clamp
RG58, RG223,
LMR200**



**BNC(M)
STRAIGHT SF141,
SR141, RG402**



BNC(F) RG316



BNC(F) RG59



**BNC(M) CLAMP RG58,
RG223, LMR200**



**BNC(M) CLAMP
RG316**



**BNC(M) RA RG58,
RG223, LMR200**



**BNC(M) STRAIGHT
SF085, SR085,
RG405**



SMA Receptacle Specialized Panel Shapes



Specialized Connectors for Audio



Gold-Plated Specialized N-Type Plugs



2,600 Mhz F-Relay Connectors



SMA Waterproof Connectors



F-Substrate Connectors



SMA Board Screw Fix Connectors



N Connectors for Mobile Infrastructure Equipment



Connectors for Antennas



Length-Specified SMA Right Angle Connectors



Connectors for Mobile Infrastructure Equipment for SMA



Connectors for BNC Measurement Equipment



Connectors for BNC 12D Right Angle



Floating Receptacles



N Specialized Panel Connectors

DIN Connectors



7/16 DIN Male Right Angle Crimp Connector For LMR200 Cable



7/16 Din Male 4H (32mm) Flange Solder Pot



DIN Male Connector for 7/8" Cable



7/16 DIN Female Connector For 1/2" Foam Feeder (Flexible) Cable



7/16 DIN Female Connector for 1/2" Super Flex Cable



7/16 DIN Female Connector for 1/4" SF Cable



7/16 DIN Female LMR 400 Crimp Connector



7/16 DIN Female Straight Connector for 1-1/4" Feeder Cable



7/16 DIN Female Connector for 1-5/8" Feeder Cable



7/16 DIN Female Straight Connector for 7/8" Feeder Cable



7/16 DIN Female Straight Connector for 7/8" SF Feeder Cable



7/16 DIN Male Connector for 1/2" Super Flex Coaxial Cable



7/16 DIN Male Connector for 3/8" Feeder Cable



7/16 DIN Male Connector for 7/8" Super Flex Cable



7/16 DIN Male Crimp Connector for LMR 240



7/16 DIN M Crimp Connector for LMR 400

DIN Connectors



**7/16 DIN Male LMR 200
Crimp Connector**



**7/16 DIN Male RA Connector
for 1/2" Super Flex Cable**



**7/16 DIN M RA for LMR 400
Crimp Connector**



**7/16 DIN Male Clamp
Connector For 1/2" Foam
Feeder (Flexible) Cable**



**7/16 DIN Male Straight
Connector for 1-5/8" Feeder
Cable**



**7/16 DIN Male Straight
Connector for 1-1/4" Feeder
Cable**



**7/16 DIN Male RA
Connector for 3/8" SF
Feeder Cable**

RF SPLITTER



138-960MHz Rf Directional Coupler



350-3800MHz 30dB Stripline Directional Coupler



380-3800MHz N Female RF Directional Coupler



550 To 3800MHz 8dB 1200 Watt DAS RF Directional Coupler



Low Pim N Female 15dB Directional Coupler



5dB 350-2700MHz Directional Coupler



550-6000MHz Low PIM 5dB RF Directional Coupler



550-6000MHz Low PIM 5dB RF Directional Coupler



600 To 4000MHz N Female -165dbc RF Directional Coupler



550-6000MHz RF Directional Coupler



600-4000MHz 15dB High Frequency Directional Coupler



617-3800MHz DAS IBS 4.3-10 Female Air Dielectric RF Directional Coupler



N Female 5dB 300Watt 3 Port Directional Coupler



698-2700MHz -163 PIM 40dB RF Directional Coupler



698-2700MHz DIN Female -163 PIM 40dB RF Directional Coupler



SMA Receptacle Specialized
Panel Shapes



Specialized Connectors for
Audio



Gold-Plated Specialized N-
Type Plugs



2.600 Mhz F-Relay Connectors



SMA Waterproof Connectors



F-Substrate Connectors



SMA Board Screw Fix
Connectors



N Connectors for Mobile
Infrastructure Equipment



Connectors for Antennas



Length-Specified SMA Right
Angle Connectors



Connectors for Mobile
Infrastructure Equipment for
SMA



Connectors for BNC
Measurement Equipment



Connectors for BNC 12D Right
Angle



Floating Receptacles



N Specialized Panel
Connectors

DUMMY LOAD & TERMINATION



1 WATT BNC MALE
DUMMYLOAD



1 WATT N MALE
DUMMYLOAD



1 WATT SMA MALE
DUMMYLOAD



Low PIM 2 Watt BNC
Dummy
Termination Load



Low PIM 2 Watt N Dummy
Termination Load



Low PIM 2 Watt N
Dummy Termination
Load 50 ohm N Male
Terminator



Low PIM 2 Watt N Dummy
Termination Load 50ohm N
Male Terminator



Low PIM 5 Watt DIN
Dummy Termination
Load 50 ohm DIN mal



Low PIM 5 Watt N Dummy
Termination Load 50 ohm N
Female Terminator



Low PIM 5 Watt N Dummy
Termination Load 50 ohm N
male Terminator



Low PIM 5 Watt SMA
Dummy Termination
Load 50 ohm SMA Male
Terminator



Low PIM 10 Watt N Dummy
Termination Load 50 ohm N
male Terminator



Low PIM 20 Watt N Dummy
Termination Load 50 ohm N
male Terminator



Low PIM 50 Watt DIN
Dummy Termination
Load 50 ohm DIN Female



Low PIM 50 Watt DIN Dummy
Termination Load 50 ohm DIN Male
Terminator

www.rfconnector.in



EIA FLANGE CONNECTOR



1-5/8" EIA FLANGE CONNECTOR FOR
7/8" FOAM FEEDER CABLE



7/8" EIA FLANGE
CONNECTOR FOR 1/2"
FEEDER CABLE



1-5/8" EIA FLANGE R/A
CONNECTOR FOR 1-5/8"



7/8" EIA FLANGE CONNECTOR
FOR 1-5/8" FOAM FEEDER CABLE



7/8" EIA FLANGE CONNECTOR
FOR 1/2" SUPER FLEXIBLE
CABLE



7/8" EIA FLANGE CONNECTOR
FOR 7/8" FOAM FEEDER CABLE

www.rfconnector.in

+91-7217885946

info@synergytpl.com

F, UHF, MINI UHF CONNECTOR



**UHF FEMALE 4-HOLE
CRIMP CONNECTOR FOR
RG 58/141/142**



**UHF FEMALE CRIMP
CONNECTOR FOR LMR
240**



**UHF FEMALE CRIMP
CONNECTOR FOR
LMR 400**



**UHF FEMALE
STRAIGHT PANEL
MOUNT SOLDER**



**UHF MALE CRIMP
CONNECTOR FOR LMR
240**



**F MALE CRIMP
CONNECTOR FOR
RG58, LMR 195**



**UHF MALE CRIMP
CONNECTOR FOR LMR
400**



**UHF FEMALE CRIMP
CONNECTOR FOR LMR 600**



**UHF MALE CRIMP
CONNECTOR FOR RG58 /
141 / 142, LMR 195**



**MINI-UHF MALE
CRIMP CONNECTOR
LMR 240**



**MINI-UHF MALE CRIMP
CONNECTOR FOR RG
58/141/142, LMR 195**



**F FEMALE CRIMP
CONNECTOR FOR
RG58, LMR 195**


Feeder Cable



1/2" Hansen Feeder Cable



7/8" Hansen Feeder Cable



1-5/8" Hansen Feeder Cable



1/2" Super Flex Cable



1/4" Feeder Cable



1-1/4" Feeder Cable



1-5/8" Super Flex



1/4" Super Flex



7/8" Super Flex Feeder Cable



7/8" Feeder Cable (Aluminum)

FME CONNECTOR



**FME FEMALE CRIMP
CONNECTOR FOR LMR 195**



**FME FEMALE CRIMP
CONNECTOR FOR LMR 240**



**FME FEMALE CRIMP CONNECTOR
FOR RG 58**



**FME FEMALE CRIMP
CONNECTOR FOR RG 174 &
LMR 100**



**FME MALE CRIMP
CONNECTOR FOR LMR
195**



**FME MALE CRIMP
CONNECTOR FOR
RG 174 & LMR 100**



**FME MALE CRIMP
CONNECTOR FOR RG 58**



**FME MALE CRIMP
CONNECTOR FOR
LMR 240**

GPS ANTENNA



28 dBi External GPS Magnetic Antenna with SMA (M)



28 dBi External GPS Magnetic Antenna with SMA (M) RA



GPS Internal Antenna (15mm*
15mm*6.5mm)
Model No.SRFS-IGPS28C-60



38 dBi GPS Marine Antenna



GPS Internal Antenna (25mm* 25mm)



28 dBi External GPS Magnetic Antenna with MCX RA Connector



28 dBi External GPS Magnetic Antenna with Fakra Connector

HLF Cable



Low Loss Flexible HLF 100 Coaxial Cable



Low Loss Flexible HLF 195 Coaxial Cable



Low Loss Flexible HLF 240 Coaxial Cable



Low Loss Flexible HLF 400 Coaxial Cable



Low Loss Flexible HLF 900 Coaxial Cable




Low Loss Flexible HLF 500 Coaxial Cable



Low Loss Flexible HLF 600 Coaxial Cable

HORN ANTENNA



Wideband Dual-ridged Horn Antenna



Standard Gain Yagi Antenna-10dB



Circular Polarization Standard Horn Antenna



Mini wideband double ridged antenna



Antenna bracket for standard gain horn antenna



Conical Horn Antenna




Low side lobe diagonal horn antenna



Wideband Horn Antenna



Ultra Broad wall Dual Linear Polarization Four Ridged Antenna



Octave Double Ridged Horn Antenna



Dual Linear Polarization Horn Antenna

INDOOR ANTENNA



698-960/1710-2700MHz 4
dBi Omni Ceiling
Antenna



698-960/1710-
2700MHz 4dBi
Marine Antenna



698-960/1710-
2700MHz 3dBi
Patch Antenna



698-960/1710-
2700MHz 3dBi Omni
Ceiling Antenna



698-960/1710-
2700MHz 3dBi Omni
Ceiling Antenna



698-960/1710-
2700MHz 3.5dBi
Omni Antenna



698-960/1710-2700MHz 3dBi
MIMO Omni Ceiling Antenna



698-960/1710-2700MHz
3dBi Omni Ceiling
Antenna



698-960/1710-2700MHz
3dBi Omni Ceiling
Antenna



698-960/1710-2700MHz
2.5/5dBi MIMO Omni
Antenna



698-960/1710-
2700MHz 5dBi
Directional Ceiling
Antenna



698-960/1710-
2700MHz MIMO
Ceiling Antenna

HYBRID COMBINER



3dB 550-6000MHz 2IN
1OUT Antenna Signal
Hybrid Combiner



100watt 3800MHz
Broadband Wideband
RF 3db Hybrid Coupler



698 To 3800MHz 4.3-10
Female 3x3 Hybrid
Combiner



698 To 3800MHz Din
Female DAS IBS 3db Hybrid
Combiner



698-2700MHz 4.3-10
Female 3db Hybrid
Coupler



698-2700MHz DAS Antenna
Coaxial Hybrid Combiner



698-3800MHz N Female
-160dbc 4x4 Hybrid Combiner



698-3800MHz Wide Band
Din Female -153dbc Rf
Combiner



Dielectric 3db Hybrid
Black 4000MHz Coax Das
Combiner



698-3800MHz Hybrid
Coupler Combiner




Low PIM 2IN 1OUT RF
Signals 3db Hybrid
Combiner



High Power
Quadrature 3db Hybrid
Combiner Coupler



N Type Female
Connector Coaxial
Signal Combiner



4 In 4 Out 698-
3800MHz 50 Ohm
Combiner



N Female -130dbc
698 To 2700MHz
Hybrid Combiner



ROHS 100W Distributed
Antenna 3db Hybrid
Combiner

IBS DAS MATERIAL



**INDOOR CEILING
OMNI ANTENNA**



**698 ~ 2700 MHz
Low PIM Slim
Omni Antenna**



Flat Omni Antenna



**3 Way Power Splitter
698 ~ 2700 MHz**



**2 Way Power Splitter
698 ~ 2700 MHz**



**4 Way Power Splitter
698 ~ 2700 MHz**



5dB Directional Coupler



6 dB Directional Coupler



7 dB Directional Coupler



10 dB Directional Coupler



15 dB Directional Coupler



20 dB Directional Coupler



**30 dB Directional
Coupler**



40 dB Directional Coupler

MCX / MMCX Connector



MCX Female Straight Connector For PCB Mount



MMCX Female Straight Connector For P.C.B Mount



MMCX Male Crimp Connector For RG316 /RG174/RG188/LMR100Cable



MCX Male Right Angle Crimp Connector RG316 /RG174/RG188/LMR100



MMCX Male for RG178



MMCX Male Right Angle for RG174, RG316



MCX Female BH Receptable



MCX Female End Launch 1.6T



MCX Female PCB 4R



MCX Female RA PCB



MMCX Female PCB SMT



MMCX Male RG174, RG316



MMCX Female For RG178



MMCX Female For RG316, RG174



MMCX Female Straight SF047, SR047



MMCX Male End Launch



MMCX Male Right Angle RG178

N Connectors



N Male 1/4" Super Flex Connector



N Female R/A Crimp Connector for LMR 400



N Female for RG 213 Crimp Connector



N Female for LMR 300 Crimp Connector



N Male 1/4" Feeder Connector



N Male 1/2" Super Flex Connector



N Male for LMR 300 Clamp Connector



N Male for LMR 300 Crimp Connector



N Male Crimp Connector for LMR 400



N Male LMR 240 Clamp Connector



N Male LMR 200 Crimp



N Male R/A for RG316, RG174, RG179, LMR 100 CRIMP



N Male R/A 1/4" Super Flex Connector



N Male R/A 1/2" Super Flex Connector



N Male R/A for LMR 400 Crimp Connector



N Male RA CLAMP CONNECTOR FOR LMR 400



N Male R/A for LMR 200 Crimp Connector

N Connectors



N Male Connector for
7/8" Feeder Cable



N Female Connector
for 7/8" Feeder Cable



N Female Clamp
Connector for 1/2" Foam
Feeder Flexible



N Male Clamp Connector
for LMR400 Cable



N Female 4H (25 Sq.) Flange
Solder Pot



N Female for 1/4"
LDF Connector



N Female for 1/4" SF
Connector



N Female 4 Hole LMR
200 Crimp Connector



N Female 4 Hole for RG
316 / RG 174 / LMR 100
Crimp Connector



N
Female 17.5mm SQ Fl
ange Connector



N Female Crimp
Connector For
LMR200 Cable



N Male Crimp
Connector For LMR200
Cable



N Female RG 213 Clamp
Connector



N Female 7/8"
Feeder Connector



N Female Crimp
Connector for LMR
240



N Female for 1-5/8"
LDF Connector



N Male Connector for
1-5/8" Feeder Cable

OMNI, PATCH, LPDA ANTENNA



Low PIM Log Periodic Antenna



698-2700MHz Low PIM Log Periodic Antenna



698-4000MHz Low PIM Slim Omni Antenna



698-2700MHz Low PIM Indoor Panel Antenna



698-2700MHz Low PIM Card Omni Antenna



698-2700MHz Low PIM MIMO Omni Antenna



698-2700MHz Low PIM MIMO Panel Antenna



698-2700MHz Low PIM MIMO Panel Antenna



698-2700MHz Low PIM Slim Omni Antenna



698-4000MHz 3dBi Omni Ceiling Antenna



698-2700MHz Low PIM MIMO Indoor Dome Antenna



698-2700MHz Low PIM Indoor Panel Antenna



698-2700MHz Low PIM Indoor Omni Antenna



698-2700MHz Low PIM Indoor Dome Antenna



698-960/1710-4000MHz MIMO Ceiling Antenna



698-2700MHz Low PIM Slim Omni Antenna



698-2700MHz Low PIM Card Omni Antenna

OUTDOOR ANTENNAS



1710-2700MHz
11dBi MIMO
Panel Antenna



698-960/1710-2700MHz
12dBi MIMO Sector
Antenna



698-960/1710-2700MHz
11dBi Directional
LPDA Antenna



698-960/1710-2700MHz
8/10dBi MIMO Sector
Antenna



698-960/1710-2700MHz
8/10dBi Directional
Sector Antenna



698-960/1710-
2700MHz 7dBi
Outdoor Panel
Antenna



698-960_1710-2700MHz-
7dBi-Indoor-Panel-
Antenna



698-960/1710-2700MHz
7dBi Directional Panel
Antenna



698-960/1710-
2700MHz 3dBi Omni
Ceiling Antenna



698-960/1710-
2700MHz 6-9dBi
MIMO Panel
Antenna



698-960/1710-
2700MHz 6/8dBi
MIMO Panel
Antenna



698-960/1710-
2700MHz 4dBi
Omni directional
Antenna

RF ATTENUATORS



N 6GHz 2Watt Attenuator 1dB



N 6GHz 2Watt Attenuator 2db



N 6GHz 2Watt Attenuator 5dB



N 6GHz 2Watt Attenuator 10dB



N 6GHz 2Watt Attenuator 20 dB



N Attenuator 6ghz 1db 5Watts



N Attenuator 6GHz 30db 2 Watts



N Attenuator 6ghz 20db 5 Watts



N-Attenuator-50-Watts-3GHz-20dB



N Attenuator 100 Watts 4GHz 40dB



N Attenuator 100 Watts 4GHz 20dB



N Attenuator 50 Watts 3GHz 40dB



N Attenuator 100 Watts 4GHz 10dB



N Attenuator 50 Watts 3GHz 20dB



N Attenuator 50 Watts 3GHz 6dB



N Attenuator 50 Watts 3GHz 10dB



N Attenuator 50 Watts 3GHz 3dB



N Attenuator 25 Watts 4GHz 40 dB

RF ATTENUATORS



N Attenuator 25 Watts 4GHz 20 dB



N Attenuator 25 Watts 4GHz 10 dB



N Attenuator 25 Watts 4GHz 6dB



N Attenuator 25 Watts 4GHz 3dB



N Attenuator 10 Watts 3GHz 40dB



N Attenuator 10 Watts 3GHz 30dB



N Attenuator 10 Watts 3GHz 10db



N Attenuator 10 Watts 3GHz 6db



SMA Attenuator 2 Watts 3GHz 1dB



SMA Attenuator 2 Watts 3GHz 3dB



SMA Attenuator 2 Watts 3GHz 6dB



SMAAttenuator 10 Watts 6GHz 10dB



SMAAttenuator 5 Watts 6GHz 1dB




SMAAttenuator 10 Watts 6GHz 1dB



SMAAttenuator 10 Watts 6GHz 3dB

RF SPLITTER




2 Way Power Splitter
150~1000 MHz



3 Way Power Splitter
150~1000 MHz



4 Way Power Splitter
150~1000 MHz



2 WAY POWER SPLITTER
(150-1000 MHz)



4 WAY POWER SPLITTER
150-1000 MHz



Directional Coupler
150~1000 MHz



5 dB 150~1000 MHz

RG Cables



RG 142 Cable



RG 174 Cable



RG 174 Cable



RG 188 Cable



RG 213 Cable



RG 217 Cable



RG 223 Cable



RG 6 CABLE DS



RG 58 CABLE



RG 59 CABLE



RG 179 CABLE



RG 316 CABLE



RG 316 CABLE DS (DOUBLE SHIELDED)



RG 400 CABLE DS



1.13 mm Low Loss Co-axial Cable

SAA / SMB CONNECTOR



SAA FEMALE 2 HOLE CONNECTOR



SAA FEMALE 4 HOLE CONNECTOR



SAA FEMALE BT-3002 Crimp



SAA FEMALE B/H RG-141 Crimp



1.0/2.3 (SAA) FEMALE EDGE LAUNCH PCB



1.0/2.3 (SAA) MALE R/A CRIMP CONNECTOR FOR RG174/RG316/LMR 100



1.0/2.3 (SAA) MALE CRIMP CONNECTOR FOR RG 179 DOUBLE BRAIDED



1.0/2.3 (SAA) MALE CRIMP CONNECTOR FOR RG 58



1.0/2.3 (SAA) FEMALE BULKHEAD R/A PCB



SAA FEMALE PCB MOUNT



1.0/2.3 (SAA) MALE CRIMP CONNECTOR FOR RG 240



1.0/2.3 (SAA) MALE CRIMP CONNECTOR FOR RG 316



SMB MALE STRAIGHT CONNECTOR FOR RG 174 , RG 316



SMB MALE R/A PCB CONNECTOR



SMB MALE R/A 2 HOLE RG 316 CONNECTOR



SMB MALE PCB CONNECTOR



SMB MALE B/H CONNECTOR FOR RG 174 , RG 316



SMB FEMALE R/A PCB CONNECTOR



SMB FEMALE R/A CONNECTOR FOR RG 174, RG 316

SMA Connector



SMA Female Bulkhead Right Angle Connector For P.C.B



SMA Male Crimp Connector For LMR300 Cable



SMA Male Crimp Connector For LMR400 Cable



SMA-Male-right-angle-crimp-connector-for-rg-316



SMA Female Bulkhead Crimp Connector



SMA Male RA for RG316 / 174 / LMR 100 Crimp Connector



SMA Female Crimp For RG58 / LMR 200 CABLE



SMA Female 4H (12.75sq.) Flange Solder Pot



SMA Female 4 Hole for RG141 SUCO



SMA Female RA for LMR 200/RG 58 Crimp Connector



SMA Female RA for RG 316/Rg174 Crimp Connector



SMA Male RA for RG58/LMR 200 Crimp Connector



SMA Male RA RP LMR 200/RG 58 Crimp



SMA Male RP for RG 58 / LMR 200 Crimp Connector



SMA Female Straight PCB Mount Connector



SMA Female End Launch 1.6T



SMA Female RA Connector for P.C.B Mount



SMA Female Edge Mount Connector




SMA Male Crimp Connector For LMR200 Cable



SMA MALE FOR LMR 100, RG 316 CONNECTOR

Product List



| SMP PCB Receptacles



| Between-series
Adapters



| SMP Terminators



| SMP Cables



| SMP Straight Jacks



| SMP Right Angle Jacks




| SMP Others

SMP CONNECTOR



SMP FEMALE R/A FOR
.086 CABLE



SMP MALE PCB MOUNT
(4 LEG, STRAIGHT
CONTACT)



SMP MALE R/A PCB MOUNT
(4 LEG, R/A CONTACT)



SMP R/A FEMALE FOR
RG 178, RG 316 CABLE



SMP STRAIGHT FEMALE FOR
.047, .085(SNAP IN PANEL,
FLOAT MOUNT)



SMP STRAIGHT MALE PCB
EDGE MOUNT



SMP STRAIGHT MALE 2 HOLE
FLANGE MOUNT



SMP STRAIGHT FEMALE
CONNECTOR FOR RG 178, RG 316
CABLE

SOLAR PRODUCTS



MC4 SOLAR CONNECTOR



MC4 PANEL CONNECTOR



MC4 T BRANCH SOLAR CONNECTOR



MC3 CONNECTOR



MC4 FUSE CONNECTOR



MC4 DIODE CONNECTOR



MC4 Y SOLAR CONNECTOR



3 in 1 SOLAR CABLE



5 in 1 SOLAR CABLE



SOLAR CABLE POLYCAB MAKE



4 SQ MM SOLAR CABLE



6 SQ MM SOLAR CABLE



CLAMP METER



CLAMP METER
(MASS TECH MAKE)

RF SPLITTER / COMBINER



2 : 1 Combiner



2 : 2 Combiner



4 : 4 Combiner



5G 4 Way RF Power Splitter



3 Way Power Splitter 700 ~ 3800 MHz



2 Way Power Splitter
700 ~ 3800 MHz



698-3800 MHz Cavity 4
way Power Splitter /
Power Divider



698-3800 MHz Cavity 3
way Power Splitter /
Power Divider



698-3800 MHz Cavity 2 way
Power Splitter / Power
Divider

Suco Flex & Semi Rigid Cable



.047 SEMI RIGID CO-AXIAL
CABLE



.085 SEMI RIGID CO-AXIAL CABLE



.034 SEMI RIGID CO-AXIAL CABLE



RG 402 (0.141") Semi -
Flexible Cable



SUCO FLEX 300 SERIES
CABLE



.141 SEMI RIGID CO-AXIAL CABLE



BT 3002 CO-AXIAL
CABLE 500 m



.250 SEMI RIGID CO-AXIAL
CABLE



SM 250 CABLE



SUCOFORM 86 FEP



SMA Receptacle Special Panel Shape



Special Connectors for Audio



Gold-plated Special N-type Plug



2600MHz F-relay Connector



SMA Waterproof Connector



F-substrate Connector



SMA Board Screw Fix Connector



N Connector for Mobile Infrastructure Equipment



Connector for Antenna



SMA Length-specified L-bend Connector



Connector for Mobile Infrastructure Equipment for



Connector for BNC Measurement Equipment



Connector for BNC 12D Bend



Floating Receptacle



N Special Panel Connector

TNC CONNECTOR



**TNC Female 4H (17.5 Sq.)
Flange Solder Pot**



**RP TNC FEMALE BULKHEAD
CRIMP CONNECTOR**



**RP TNC FEMALE CRIMP
CONNECTOR FOR RG 58, RG141 & LMR 195**



**TNC FEMALE BH RG58,
RG223, RG400, LMR200**



**TNC MALE CLAMP
CONNECTOR FOR LMR
400**



**TNC MALE CRIMP
CONNECTOR FOR
LMR 400**



**TNC MALE CRIMP
CONNECTOR FOR RG 58,
RG 141 & LMR 195**



**TNC MALE FOR
RG58, RG223, LMR
200**



**TNC MALE FOR
RG316, RG174**




**TNC MALE R/A FOR
RG58, RG223, LMR 200**




**TNC MALE R/A FOR
RG316, RG174**


UHF VHF YAGI ANTENNA



Model No. SRFS 350 /
Frequency: 328 ~ 367 MHz
/Elements: 8



9 dBi YAGI ANTENNA
400 ~480 MHz



9 dBi YAGI ANTENNA
88 ~ 108 MHz



LOG PERIODIC DIPOLE
ANTENNA 150-500MHz



SHV Male Clamp for
RG 58



MHV Female Female
Female T Adaptor



MHV Female Male
Female T Adaptor



SHV Female Bulkhead
Receptacle Front Mount

TOOLS & ACCESSORIES



Manual Cable Preparation Tool
for 7/8 in Coaxial Cable

Andrew/
Commscope

Manual Cable Preparation
Tool for LDF4 - 50A Co -
axial Cable

Manual Cable
Preparation Tool for FSJ1-
50A and FSJ4-50B Coaxial
Cable



N TYPE TORQUE
WRENCH



SMA TORQUE
WRENCH



Weather
Proofing Kit

WAVEGUIDE COMPONENTS



WR10 STRAIGHT
WAVEGUIDE



Straight Waveguide
Waveguide to Coaxial
Adapter End Launch



Waveguide Twist



Waveguide Bend



Waveguide to Coaxial
Adapter RA



Magic Hybrid Tee



WG High-pass Filter



WG Cable Assembly
(Right Angle)



WG Cable Assembly
(End Launch)



Double Ridge
WG Bend



Double Ridge WG to
Coaxial Adapter
(Right Angle)

WAVEGUIDE COMPONENTS



Double Ridge WG to Coaxial Adapter (End Launch)



High Power Double-Ridged WG to Coaxial Adapter



Circular WG to Coaxial Adapter



WG Bandpass Filter



WG Low-pass Filter



Double Ridge WG Loop Coupler



Double Ridge WG Broadwall Directional Coupler



WG Duplexer



WG Pressure Window



Rectangular to Rectangular WG Adapter Specials



Double Ridge Straight WG



Inflatable Straight WG



WG Narrow Side Directional Coupler



Rectangle WG Probe Coupler



Double Ridge Twist WG



Small Size WG Termination



WG Unmatched Termination



Double Ridge WG Termination



WG Short Plate



WG Offset Short



Rectangular WG Loop Coupler

WHIP ANTENNA



698-2700MHz Low PIM
Indoor Ceiling Antenna



380-6000MHz Low PIM
Indoor Omni Antenna



433 MHz 5 dBi Rubber
Duck Antenna SMA
Male Connector



433 MHz 3 dBi Rubber Duck
Antenna SMA Male Right
Angle Connector



433 MHz 5 dBi Rubber Duck
Antenna SMA Male Connector



9 dBi RFID Rubber-Duck
Antenna with SMA Male
Movable