


Synergy Telecom P Ltd.

Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd **BNC Male For BT 3002 Crimp:-** Synergy Telecom (P) Ltd

Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd



Electrical Specification

Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd

Characteristic Impedance	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	75 ohm
Frequency Range	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	DC- 3 GHz
VSWR	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	<1.2
Contact Resistance	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	Inner Conductor : < 1.5 m Ω Outer Conductor : < 1.0 m Ω
Dielectric withstanding Voltage	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	>2500V RMS, 50Hz, At sea Level
Dielectric Resistance	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	> 5000 M Ω
RoHS	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	Compliance

Mechanical

Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd

Durability Mating	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	cycle ≥500
--------------------------	-------------------------	-------------------------	-------------------------	-------------------

Material Specification

Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd

	Material	Plating
Body	Brass	White Bronze
Insulator	Teflon/PTFE	
Center Conductor	Phosphor Copper	Gold(AU)

Environmental

Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd

Temperature Range	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	Synergy Telecom (P) Ltd	- 10°C – +55 °C
--------------------------	-------------------------	-------------------------	-------------------------	------------------------

13-15 RPS flats, E-block, Vikaspuri, N Delhi-110018, India
 Phone-91 11 28533349, Mobile-91 98101 38894, Fax -91 11 2853 1435,
 E-mail : pradeep@rfconnectorhouse.com, Website : http://www.rfconnector.info/

Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd Synergy Telecom (P) Ltd